

FIG. 1

```

<xsd:element name="accessControl" minOccurs="0">
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="userAuthentication" minOccurs="0">
        <xsd:complexType>
          <xsd:sequence>
            <xsd:element name="authority">
              <xsd:simpleType>
                <xsd:restriction base="xsd:string">
                  <xsd:minLength value="1"/>
                  <xsd:maxLength value="1024"/>
                </xsd:restriction>
              </xsd:simpleType>
            </xsd:element>

            <xsd:element name="user" minOccurs="0" maxOccurs="unbounded">
              <xsd:simpleType>
                <xsd:restriction base="xsd:string">
                  <xsd:minLength value="1"/>
                  <xsd:maxLength value="1024"/>
                </xsd:restriction>
              </xsd:simpleType>
            </xsd:element>

            <xsd:element name="group" minOccurs="0" maxOccurs="unbounded">
              <xsd:simpleType>
                <xsd:restriction base="xsd:string">
                  <xsd:minLength value="1"/>
                  <xsd:maxLength value="1024"/>
                </xsd:restriction>
              </xsd:simpleType>
            </xsd:element>

            <xsd:element name="authData" minOccurs="0">
              <xsd:simpleType>
                <xsd:restriction base="xsd:string">
                  <xsd:minLength value="1"/>
                  <xsd:maxLength value="1024"/>
                </xsd:restriction>
              </xsd:simpleType>
            </xsd:element>
          </xsd:sequence>

          <xsd:attribute name="authScheme" use="required">
            <xsd:simpleType>
              <xsd:restriction base="xsd:string">
                <xsd:maxLength value="20"/>
                <xsd:minLength value="1"/>
              </xsd:restriction>
            </xsd:simpleType>
          </xsd:attribute>

          <xsd:attribute name="downloadCheck" use="required">
            <xsd:simpleType>
              <xsd:restriction base="xsd:string">
                <xsd:enumeration value="none"/>
                <xsd:enumeration value="installed"/>
              </xsd:restriction>
            </xsd:simpleType>
          </xsd:attribute>
        </xsd:complexType>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>

```

FIG. 2A

NUSSER ET AL.

SOM920010011US1

3/6

250

```
<accessControl>
<userAuthentication authScheme = "WinNT" downloadCheck="installed">
<authority>EMMS</authority>
<user>nusser</user>
<user>koeppen</user>
<user>mahlbacher</user>
<user>medina</user>
<user>contessa</user>
<group>EMMS Testers</group>
</userAuthentication>
</accessControl>
```

FIG. 2B





FIG. 3






FIG. 5